

SAFETY DATA SHEET

Issue Date 01-Apr-2015 Revision Date 13-Mar-2015 Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name WEN END RUST Product Code FLCRUSXXWEN-END

Customer Code FCER

Other means of identification

Recommended use of the chemical and restrictions on use

Recommended Use Destainer

Uses advised against Use only as stated on label.

Details of the supplier of the safety data sheet

Manufactured For / Distributed By Walter E. Nelson, Company 5937 North Cutter Circle Portland, OR 97217 Phone (503) 285-3037

E-Mail customerservice@walterenelson.com

Emergency telephone number

24 Hour Emergency Phone Number (800) 228-5635 X059

2. HAZARDS IDENTIFICATION

Classification

Acute toxicity - Oral	Category 3
Acute toxicity - Dermal	Category 2
Acute toxicity - Inhalation (Gases)	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

Toxic if swallowed Fatal in contact with skin Harmful if inhaled Causes severe skin burns and eye damage



Precautionary Statements - Prevention

- Wash face, hands and any exposed skin thoroughly after handling
- Do not eat, drink or smoke when using this product
- Do not get in eyes, on skin, or on clothing
- Wear protective gloves/protective clothing/eye protection/face protection
- Use only outdoors or in a well-ventilated area
- Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

- Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Immediately call a POISON CENTER or doctor/physician.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Rinse mouth. Do NOT induce vomiting.

Precautionary Statements - Storage

- Store locked up

Precautionary Statements - Disposal

- Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Ammonium Hydrogen Fluoride	1341-49-7	3-7	*
Hydrofluoric Acid	7664-39-3	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes.

Eye contact Keep eye wide open while rinsing Immediate medical attention is required Rinse

immediately with plenty of water, also under the eyelids, for at least 15 minutes Do not rub

affected area

Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Drink

plenty of water. Immediate medical attention is required. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

Self-protection of the first aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

5. FIRE-FIGHTING MEASURES

<u>Suitable extinguishing media</u> Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

<u>Protective equipment and precautions for firefighters</u> As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautionsUse personal protective equipment as required. Evacuate personnel to safe areas. Avoid

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautionsDo not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so. Cover powder spill with plastic sheet or

tarp to minimize spreading. Dike far ahead of liquid spill for later disposal.

Methods for cleaning up

Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface

thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces

with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems.

Revision Date 13-Mar-2015

WEN END RUST

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in

properly labeled containers.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents. Metals.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ammonium Hydrogen Fluoride	TWA: 2.5 mg/m ³ F	TWA: 2.5 mg/m ³ F	TWA: 2.5 mg/m ³ F
1341-49-7		TWA: 2.5 mg/m³ dust	
		(vacated) TWA: 2.5 mg/m ³	
Hydrofluoric Acid	TWA: 0.5 ppm F TWA: 2.5 mg/m ³ F	TWA: 3 ppm F TWA: 2.5 mg/m ³ F	IDLH: 30 ppm
7664-39-3	S*	TWA: 2.5 mg/m³ dust	Ceiling: 6 ppm 15 min
	Ceiling: 2 ppm F	(vacated) TWA: 3 ppm F (vacated)	Ceiling: 5 mg/m ³ 15 min
		TWA: 2.5 mg/m ³	TWA: 3 ppm
		(vacated) STEL: 6 ppm F	TWA: 2.5 mg/m ³
2-Propanol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	_

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Respiratory protection

Engineering Controls Showers, Eyewash stations & Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Skin and body protectionWear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear protective gloves and protective clothing.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical stateLiquidAppearanceClearColorColorlessOdorSlight

Odor threshold No Information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 3.0 - 4.0 Specific Gravity 1.029 Viscosity Water Thin

Melting point/freezing point No Information available

Flash point above 200F

Boiling point / boiling range No Information available

Evaporation rate Same as water

Flammability (solid, gas) Flammability Limits in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
Water solubility

No Information available
No Information available
No Information available
Soluble in water

Partition coefficient
Autoignition temperature
Decomposition temperature
No Information available
No Information available
No Information available

Other Information

Density Lbs/Gal 8.56 VOC Content (%) 0.256

10. STABILITY AND REACTIVITY

Reactivity

No data available

Stability Stable under recommended storage conditions.

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid Exposure to air or moisture over prolonged periods. Extremes of temperature and direct

sunlight.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents. Metals. **Hazardous Decomposition Products** Thermal decomposition can lead to release of irritating and toxic gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation Causes burns.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin ContactMay be fatal if absorbed through skin.IngestionCauses burns. Toxic if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Ammonium Hydrogen Fluoride 1341-49-7	= 130 mg/kg (Rat)	Yes	Yes
Hydrofluoric Acid 7664-39-3	Yes	Yes	= 0.79 mg/L (Rat) 1 h

WEN END RUST

2-Propanol	= 1870 mg/kg (Rat)	= 4059 mg/kg(Rabbit)	= 72600 mg/m³ (Rat) 4 h
07-03-0			ı

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to

eyes.

Sensitization Germ cell mutagenicityNo Information available.
No Information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ammonium Hydrogen	Yes	Group 3	Yes	Yes
Fluoride				
1341-49-7				

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

STOT - repeated exposure

No Information available.

Chronic toxicity

No Information available.

Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Target organ effects EYES, Respiratory system, Skin.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

12. ECOLOGICAL INFORMATION

Ecotoxicity

6.9% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Hydrofluoric Acid	Yes	660: 48 h Leuciscus idus mg/L	270: 48 h Daphnia species mg/L
7664-39-3		LC50	EC50

<u>Persistence and degradability</u> No Information available.

<u>Bioaccumulation</u> No Information available.

Chemical Name	Partition coefficient
Hydrofluoric Acid	-1.4
7664-39-3	

Other adverse effects No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number U134

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Hydrofluoric Acid 7664-39-3	U134	Yes	Yes	U134

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. TRANSPORT INFORMATION

Note: The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

U.S. Department of Transportation (USDOT)

4x1 Gallon Case Compound Cleaning Liquid, NOI, LTD QTY (LTDY)

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Ammonium Hydrogen Fluoride - 1341-49-7	1.0
Hydrofluoric Acid - 7664-39-3	1.0

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard No
Reactive Hazard No
Sudden release of pressure hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium Hydrogen Fluoride 1341-49-7	100 lb	-	-	X
Hydrofluoric Acid 7664-39-3	100 lb	-	-	Х

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Ammonium Hydrogen Fluoride	100 lb	-	RQ 100 lb final RQ
1341-49-7			RQ 45.4 kg final RQ
Hydrofluoric Acid	100 lb	100 lb	RQ 100 lb final RQ
7664-39-3			RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ammonium Hydrogen Fluoride 1341-49-7	X	X	Х
Hydrofluoric Acid 7664-39-3	X	X	Х
2-Propanol 67-63-0	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

Additional information No Information available.

16. OTHER INFORMATION

HMIS

Health hazards	Flammability	Physical hazards	Personal protection
3	1	0	В

Prepared By Regulatory Department

Issue Date01-Apr-2015Revision Date13-Mar-2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet