



# SAFETY DATA SHEET

Issue Date 01-Apr-2015

Revision Date 13-Mar-2015

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product identifier

**Product Name** WEN LAUNDRY EMULSIFIER  
**Product Code** FLLLEMXXWEN-EMUL  
**Customer Code** Not available

### Other means of identification

### Recommended use of the chemical and restrictions on use

**Recommended Use** Laundry Detergent  
**Uses advised against** Use only as stated on label.

### Details of the supplier of the safety data sheet

**Manufactured For / Distributed By**  
**Walter E. Nelson, Company**  
5937 North Cutter Circle  
Portland, OR 97217  
Phone (503) 285-3037  
E-Mail customerservice@walterenelson.com

### Emergency telephone number

**24 Hour Emergency Phone Number** (800) 228-5635 X059

## 2. HAZARDS IDENTIFICATION

### Classification

Acute toxicity - Oral	Category 5
Flammable liquids	Category 3

### Label elements

### Emergency Overview

## Warning

### **Hazard statements**

May be harmful if swallowed

Flammable liquid and vapor

**Precautionary Statements - Prevention**

- Keep away from heat/sparks/open flames/hot surfaces. — No smoking
- Keep container tightly closed
- Ground/bond container and receiving equipment
- Use explosion-proof electrical/ventilating/lighting/equipment.
- Use only non-sparking tools
- Take precautionary measures against static discharge
- Wear protective gloves/protective clothing/eye protection/face protection

**Precautionary Statements - Response**

- Call a POISON CENTER or doctor/physician if you feel unwell
  - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
  - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
  - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
  - IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Drink plenty of water.
- In case of fire: Use CO<sub>2</sub>, dry chemical, or foam for extinction.

**Precautionary Statements - Storage**

- Store in a well-ventilated place. Keep cool

**Precautionary Statements - Disposal**

- Dispose of contents/container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)****Other Information**

Unknown Acute Toxicity

0.0525% of the mixture consists of ingredient(s) of unknown toxicity

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
Water	7732-18-5	40-70	*
Alcohol Ethoxylate	68439-46-3	10-30	*
Sodium Dodecylbenzene Sulfonate	25155-30-0	5-10	*
2-Propanol	67-63-0	3-7	*
Stilbene Disulfonic Acid, Sodium Salt Deriv.	27344-41-8	.1-1	*
DMDM Hydantoin	6440-58-0	<0.1	*
PROPRIETARY	Proprietary	<0.1	*
5,5-DIMETHYL-1-HYDROXYMETHYLHYDANTOIN	116-25-6	<0.1	*
3-(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	16228-00-5	<0.1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. FIRST AID MEASURES****First aid measures****General advice**

Immediate medical attention is required. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). If symptoms persist, call a physician.

<b>Skin Contact</b>	Wash off immediately with plenty of water. Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.
<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.
<b>Inhalation</b>	Remove to fresh air. Call a physician. If breathing is irregular or stopped, administer artificial respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.
<b>Ingestion</b>	Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.

**Self-protection of the first aider** Remove all sources of ignition. Use personal protective equipment as required.

### **Most important symptoms and effects, both acute and delayed**

**Symptoms** Any additional important symptoms and effects are described in Section 11: Toxicology Information.

### **Indication of any immediate medical attention and special treatment needed**

**Note to physicians** Treat symptomatically.

## **5. FIRE-FIGHTING MEASURES**

**Suitable extinguishing media** Use. Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray (fog). Alcohol resistant foam.

### **Unsuitable extinguishing media**

Do not use a solid water stream as it may scatter and spread fire.

### **Specific hazards arising from the chemical**

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

**Protective equipment and precautions for firefighters** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

## **6. ACCIDENTAL RELEASE MEASURES**

### **Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Evacuate personnel to safe areas. Remove all sources of ignition. Ensure adequate ventilation, especially in confined areas. Keep people away from and upwind of spill/leak. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment as required.

### **Environmental precautions**

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

### **Methods and material for containment and cleaning up**

**Methods for containment** Prevent further leakage or spillage if safe to do so.  
**Methods for cleaning up** Pick up and transfer to properly labeled containers. Dam up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Soak up with inert absorbent material. Take precautionary measures against static discharges.

## **7. HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. Use with local exhaust ventilation. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions** Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat.

**Incompatible materials** None known based on information supplied.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

**Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-Propanol 67-63-0	STEL: 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m <sup>3</sup> (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>

*NIOSH IDLH Immediately Dangerous to Life or Health*

**Other Information** Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

**Appropriate engineering controls**

**Engineering Controls** Showers, Eyewash stations & Ventilation systems

**Individual protection measures, such as personal protective equipment**

**Eye/face protection** Tight sealing safety goggles.

**Skin and body protection** No special technical protective measures are necessary.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

**General Hygiene** When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	Clear
<b>Color</b>	Amber
<b>Odor</b>	Slight
<b>Odor threshold</b>	No Information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	7.0 - 9.0	
Specific Gravity	1.007	
Viscosity	<100 cP @ 75°F	
Melting point/freezing point	No Information available	
Flash point	53 °C 127 °F	
Boiling point / boiling range	No Information available	/
Evaporation rate	Same as water	
Flammability (solid, gas)		
Flammability Limits in Air		
Upper flammability limit:	No Information available	
Lower flammability limit:	No Information available	
Vapor pressure	No Information available	
Vapor density	No Information available	
Water solubility	Soluble in water	
Partition coefficient	No Information available	
Autoignition temperature	No Information available	
Decomposition temperature	No Information available	

### Other Information

<b>Density Lbs/Gal</b>	8.39
<b>VOC Content (%)</b>	No Information available

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available

<b>Stability</b>	Stable under recommended storage conditions.
<b>Possibility of Hazardous Reactions</b>	None under normal processing.
<b>Conditions to avoid</b>	Heat, flames and sparks.
<b>Incompatible materials</b>	None known based on information supplied.
<b>Hazardous Decomposition Products</b>	None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

<b>Inhalation</b>	No data available.
<b>Eye contact</b>	May cause irritation.
<b>Skin Contact</b>	Prolonged contact may cause redness and irritation.
<b>Ingestion</b>	May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg ( Rat )	Yes	Yes
Alcohol Ethoxylate 68439-46-3	= 1378 mg/kg ( Rat ) = 1400 mg/kg ( Rat )	> 2 g/kg ( Rabbit )	Yes
Sodium Dodecylbenzene Sulfonate 25155-30-0	= 438 mg/kg ( Rat ) = 500 mg/kg ( Rat )	Yes	Yes

2-Propanol 67-63-0	= 1870 mg/kg ( Rat )	= 4059 mg/kg ( Rabbit )	= 72600 mg/m <sup>3</sup> ( Rat ) 4 h
Stilbene Disulfonic Acid, Sodium Salt Deriv. 27344-41-8	> 2000 mg/kg ( Rat )	= 2500 mg/kg ( Rabbit ) > 1 g/kg ( Rat )	= 3.6 mg/L ( Rat ) 4 h
DMDM Hydantoin 6440-58-0	= 2 g/kg ( Rat )	Yes	Yes

**Information on toxicological effects**

**Symptoms** No Information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Sensitization** No Information available.  
**Germ cell mutagenicity** No Information available.  
**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
2-Propanol 67-63-0	Yes	Group 3	Yes	X

*IARC (International Agency for Research on Cancer)*

*Not classifiable as a human carcinogen*

*OSHA (Occupational Safety and Health Administration of the US Department of Labor)*

*X - Present*

**Reproductive toxicity** No Information available.  
**STOT - single exposure** No Information available.  
**STOT - repeated exposure** No Information available.  
**Target organ effects** EYES, Respiratory system, Skin.  
**Aspiration hazard** No Information available.

**Numerical measures of toxicity - Product Information**

**Unknown Acute Toxicity** 0.0525% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

**12. ECOLOGICAL INFORMATION****Ecotoxicity**

19.8485% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium Dodecylbenzene Sulfonate 25155-30-0	Yes	10.8: 96 h Oncorhynchus mykiss mg/L LC50 static	Yes
2-Propanol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	13299: 48 h Daphnia magna mg/L EC50
Stilbene Disulfonic Acid, Sodium Salt Deriv. 27344-41-8	10: 72 h Desmodesmus subspicatus mg/L EC50 10.0 - 11.0: 96 h Desmodesmus subspicatus mg/L EC50	76: 96 h Brachydanio rerio mg/L LC50 static	1000: 48 h Daphnia magna mg/L EC50

**Persistence and degradability** No Information available.

**Bioaccumulation** No Information available.

Chemical Name	Partition coefficient
2-Propanol 67-63-0	0.05

**Other adverse effects** No Information available

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal of wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.

**Contaminated packaging** Do not reuse container.

**US EPA Waste Number** D001 U122

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
2-Propanol 67-63-0	Toxic Ignitable

### 14. TRANSPORT INFORMATION

**Note:** The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

#### U.S. Department of Transportation (USDOT)

**4x1 Gallon Case** *Not regulated*

**Pails & Drums (<119 Gallons)** *Not regulated*

### 15. REGULATORY INFORMATION

#### International Inventories

**TSCA** *Complies* **DSL/NDSL** *Complies*

*TSCA - United States Toxic Substances Control Act Section 8(b) Inventory*  
*DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List*

#### US Federal Regulations

##### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
2-Propanol - 67-63-0	1.0

##### **SARA 311/312 Hazard Categories**

<b>Acute health hazard</b>	Yes
<b>Chronic Health Hazard</b>	No
<b>Fire hazard</b>	Yes
<b>Reactive Hazard</b>	No
<b>Sudden release of pressure hazard</b>	No

##### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances

Sodium Dodecylbenzene Sulfonate 25155-30-0	1000 lb	-	-	X
---	---------	---	---	---

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Sodium Dodecylbenzene Sulfonate 25155-30-0	1000 lb	-	RQ 1000 lb final RQ RQ 454 kg final RQ

**US State Regulations**

**California Proposition 65**

This product has been evaluated and does not require warning labeling under California Proposition 65.

**U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium Dodecylbenzene Sulfonate 25155-30-0	X	X	X
2-Propanol 67-63-0	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not Applicable

Additional information No Information available.

**16. OTHER INFORMATION**

HMIS

Health hazards	Flammability	Physical hazards	Personal protection
<b>1</b>	<b>2</b>	<b>0</b>	<b>A</b>

Prepared By Regulatory Department  
 Issue Date 01-Apr-2015  
 Revision Date 13-Mar-2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

*End of Safety Data Sheet*